L Number	Hits	Search Text	DB	Time stamp
-	5	(((device$1 or hardware) near4 context) and (map$5 same (program or matrix)) and ((kernel or hardware) adj2 (configuration or section$1))) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:32
-	87	((device$1 or hardware) near4 context) and (map$5 same (program or matrix)) and ((kernel or hardware) adj2 (configuration or section$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 11:47
-	5	("5600845" | "5752035" | "5802290" | "6009273" | "6077315").PN.	USPAT	2003/04/02 08:38
-	4724	(712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCLS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:19
-	453	(FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:21
-	23	((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCLS) and ((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:22
-	1335	(compil$4 and monitor$4 and profil$4) and (program same execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:24
-	16	((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((compil$4 and monitor$4 and profil$4) and (program same execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:24
-	24	((((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCLS) and ((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1)))) or (((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((compil$4 and monitor$4 and profil$4) and (program same execution)))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29
-	161	(@ad<=20000830 plural rlad<=20000830 hardware adj2 (configuration$1 or context$1 or design$1 or architecture$1 or environmen$3)) and ((array$1 or matri$3) or map$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29
-	19	((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((multiple or plural) near4 (hardware adj2 (configuration$1 or context$1 or design$1 or architecture$1 or environmen$3)) and ((array$1 or matri$3) or map$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29
-	14	(((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((multiple or plural) near4 (hardware adj2 (configuration$1 or context$1 or design$1 or architecture$1 or environmen$3)) and ((array$1 or matri$3) or map$4))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:24

-	36	(((((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCLS) and ((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1)))) or (((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((compil$4 and monitor$4 and profil$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) or ((((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((multiple or plural) near4 (hardware adj2 (configuration$1 or context$1 or design$1 or architecture$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:30
-	34	*(garbled overlapping text)* ((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1)))) or (((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((compil$4 and monitor$4 and profil$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) or ((((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((multiple or plural) near4 (hardware adj2 (configuration$1 or context$1 or design$1 or architecture$1 or environmen$3)) and ((array$1 or matri$3) or map$4))) and (@ad<=20000830 or @rlad<=20000830))) not ((((((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCLS.) and ((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1)))) or (((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((compil$4 and monitor$4 and profil$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) and ((((FPGA or "field gate array") and (map$5 or matrix) and (hardware adj2 (context or configuration or design$1))) and ((multiple or plural) near4 (hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:22
-	10	*(garbled overlapping text)* MCPE (configuration$1 or context or design$1) and ((hardware or architecture) near2 (configuration$1 or context$1 or design$1))) and (@ad<=20000830 or @rlad<=20000830)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:24
-	8	((MCPE or "multiple context processing element") and ((hardware or architecture) near2 (configuration or context or design$1))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:38
-	21	("4597041" | "4748585" | "4754412" | "4858113" | "4870302" | "5020059" | "5233539" | "5301340" | "5317209" | "5336950" | "5426378" | "5457408" | "5469003" | "5581199" | "5684980" | "5742180" | "5754818" | "5765209" | "5778439" | "5880598" | "5956518").PN.	USPAT	2003/04/02 11:45
-	19	5956518.URPN.	USPAT	2003/04/03 10:26

-	189	(hardware near2 accelerator$1) and (Java or multiprocessor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:44
-	19	((device$1 or hardware) near4 context) and ((hardware near2 accelerator$1) and (Java or multiprocessor$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:28
-	17	(((device$1 or hardware) near4 context) and ((hardware near2 accelerator$1) and (Java or multiprocessor$1))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 08:45
-	30	((DSP near5 network) or "hardware context" or MCPE) and (hardware adj accelerator$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:06
-	17	(((DSP near5 network) or "hardware context" or MCPE) and (hardware adj accelerator$1)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:06
-	21	("4597041" | "4748585" | "4754412" | "4858113" | "4870302" | "5020059" | "5233539" | "5301340" | "5317209" | "5336950" | "5426378" | "5457408" | "5469003" | "5581199" | "5684980" | "5742180" | "5754818" | "5765209" | "5778439" | "5880598" | "5956518").PN.	USPAT	2003/04/02 13:27
-	19	5956518.URPN.	USPAT	2003/04/02 13:28
-	35	5535406.URPN.	USPAT	2003/04/02 14:16
-	39	(place$4 adj rout$4) and (reconfigur$5 near3 (process$5 or programming)) and (hardware same context$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 15:52
-	11	5748979.URPN.	USPAT	2003/04/02 16:30
-	46	((compil$4 and optimi$5) and ((hardware near2 accelerator$1) and ((C near4 program) or multiprocessor$1))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 11:45
-	10	Tseng.in. and Axis$9.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 08:54
-	18	6009256.URPN.	USPAT	2003/04/03 09:03

–	6	((compil$4 and optimi$5) and (hardware near2 accelerator$1)) and (("3106698" | "3287702" | "3287703" | "3473160" | "4020469" | "4306286" | "4386403" | "4488354" | "4503386" | "4578761" | "4612618" | "4621339" | "4642487" | "4656580" | "4656592" | "4675832" | "4695999" | "4697241" | "4700187" | "4706216" | "4736338" | "4740919" | "4744084" | "4747102" | "4752887" | "4758985" | "4768196" | "4777606" | "4786904" | "4787061" | "4791602" | "4803636" | "4811214" | "4815003" | "4823276" | "4827427" | "4835705" | "4849904" | "4849928" | "4862347" | "4870302" | "4872125" | "4876466" | "4882690" | "4901259" | "4901260" | "4908772" | "4914612" | "4918440" | "4918594" | "4922432" | "4924429" | "4931946" | "4935734" | "4942536" | "4942615" | "4945503" | "4949275" | "4951220" | "4965739" | "5003487" | "5023775" | "5041986" | "5046017" | "5051938" | "5053980" | "5081602" | "5084824" | "5093920" | "5109353" | "5114353" | "5126966" | "5128871" | "5140526" | "5146460" | "5189628" | "5193068" | "5197016" | "5224056" | "5231588" | "5231589" | "5233539" | "5253181" | "5258932" | "5259006" | "5260881" | "5263149" | "5272651" | "5329470" | "5343406" | "5352123" | "5371390" | "5377124" | "5425036" | "5448496" | "5448522" | "5452227" | "5452231" | "5452239" | "5467462" | "5475830" | "5477475" | "5504354" | "5563829" | "5572710" | "5612891" | "5644515" | "5649167" | "5654564" | "5657241" | "5661409" | "5661662" | "5663900" | "5748875" | "5771370" | "5796623" | "5838948" | "5841967").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:20
–	11	(Agrawal.in. and ((hardware adj2 accelerat$4) or microcod$4)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:27
–	93	((hardware adj2 accelerat$4) and (microcode) and (profil$4 or optimi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:29
–	63	(((hardware adj2 accelerat$4) and (microcode) and (profil$4 or optimi$6))) and ((C near4 program) or compil$4) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:31
–	33	(((device$1 or hardware) near4 context) or (map$5 same (program or matrix))) and (((((hardware adj2 accelerat$4) and (microcode) and (profil$4 or optimi$6))) and ((C near4 program) or compil$4) and (@ad<=20000830 or @rlad<=20000830)) not (((compil$4 and optimi$5) and ((hardware near2 accelerator$1) and ((C near4 program) or multiprocessor$1))) and (@ad<=20000830 or @rlad<=20000830)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:33

–		15	(((device$1 or hardware) near4 context) or (map$5 same (program or matrix))) and ((((((hardware adj2 accelerat$4) and (microcode) and (profil$4 or optimi$6))) and ((C near4 program) or compil$4) and (@ad<=20000830 or @rlad<=20000830)) not (((compil$4 and optimi$5) and ((hardware near2 accelerator$1) and ((C near4 program) or multiprocessor$1))) and (@ad<=20000830 or @rlad<=20000830))) not (printing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28
–		38	5146460.URPN.	USPAT	2003/04/03 10:11
–		81	((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)	USPAT	2003/04/03 10:27
–		74	(((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28
–		67	((((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-$ or US-5802290-$ or US-6374403-$ or US-6075935-$ or US-5933642-$ or US-5768500-$ or US-5754759-$ or US-5535406-$ or US-6226776-$ or US-6457116-$ or US-6108760-$ or US-5956518-$ or US-5742180-$ or US-5684980-$ or US-5020059-$ or US-6496918-$ or US-6438737-$ or US-6367063-$ or US-6223274-$ or US-6112020-$ or US-6088795-$ or US-6058469-$ or US-5968161-$ or US-5852734-$ or US-5579494-$ or US-6389379-$).did. or (US-6134516-$ or US-6188975-$ or US-5841967-$ or US-5657241-$ or US-5091872-$ or US-6199152-$ or US-5752035-$ or US-5146460-$ or US-6009256-$ or US-5870588-$).did. or (US-20010034876-$ or US-20020059456-$ or US-20020049894-$ or US-20020078115-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28
–		34	(((device$1 or hardware) near4 context) or (map$5 same (program or matrix))) and (((((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-$ or US-5802290-$ or US-6374403-$ or US-6075935-$ or US-5933642-$ or US-5768500-$ or US-5754759-$ or US-5535406-$ or US-6226776-$ or US-6457116-$ or US-6108760-$ or US-5956518-$ or US-5742180-$ or US-5684980-$ or US-5020059-$ or US-6496918-$ or US-6438737-$ or US-6367063-$ or US-6223274-$ or US-6112020-$ or US-6088795-$ or US-6058469-$ or US-5968161-$ or US-5852734-$ or US-5579494-$ or US-6389379-$).did. or (US-6134516-$ or US-6188975-$ or US-5841967-$ or US-5657241-$ or US-5091872-$ or US-6199152-$ or US-5752035-$ or US-5146460-$ or US-6009256-$ or US-5870588-$).did. or (US-20010034876-$ or US-20020059456-$ or US-20020049894-$ or US-20020078115-$).did.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:29

–	24	(((device$1 or hardware) near4 context) or (map$5 same (program or matrix))) and (((((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-$ or US-5802290-$ or US-6374403-$ or US-6075935-$ or US-5933642-$ or US-5768500-$ or US-5754759-$ or US-5535406-$ or US-6226776-$ or US-6457116-$ or US-6108760-$ or US-5956518-$ or US-5742180-$ or US-5684980-$ or US-5020059-$ or US-6496918-$ or US-6438737-$ or US-6367063-$ or US-6223274-$ or US-6112020-$ or US-6088795-$ or US-6058469-$ or US-5968161-$ or US-5852734-$ or US-5579494-$ or US-6389379-$).did. or (US-6134516-$ or US-6188975-$ or US-5841967-$ or US-5657241-$ or US-5091872-$ or US-6199152-$ or US-5752035-$ or US-5146460-$ or US-6009256-$ or US-5870588-$).did. or (US-20010034876-$ or US-20020059456-$ or US-20020049894-$ or US-20020078115-$).did.))) and (DSP or (bin$1 or kernel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:30
–	13	(((device$1 or hardware) near4 context) or (map$5 same (program or matrix))) and (((((hardware adj2 accelerat$4) and (cosimulation or emulation) and compil$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-$ or US-5802290-$ or US-6374403-$ or US-6075935-$ or US-5933642-$ or US-5768500-$ or US-5754759-$ or US-5535406-$ or US-6226776-$ or US-6457116-$ or US-6108760-$ or US-5956518-$ or US-5742180-$ or US-5684980-$ or US-5020059-$ or US-6496918-$ or US-6438737-$ or US-6367063-$ or US-6223274-$ or US-6112020-$ or US-6088795-$ or US-6058469-$ or US-5968161-$ or US-5852734-$ or US-5579494-$ or US-6389379-$).did. or (US-6134516-$ or US-6188975-$ or US-5841967-$ or US-5657241-$ or US-5091872-$ or US-6199152-$ or US-5752035-$ or US-5146460-$ or US-6009256-$ or US-5870588-$).did. or (US-20010034876-$ or US-20020059456-$ or US-20020049894-$ or US-20020078115-$).did.))) and (((compil$4 and optimi$5) and ((hardware near2 accelerator$1) and ((C near4 program) or multiprocessor$1))) and (@ad<=20000830 or @rlad<=20000830))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:28
–	584	(703/26-27).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:29
–	94	((703/26-27).CCLS.) and ((code or program or executable) near3 develop$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:29

–		2	(((device$1 or hardware) near4 context) and (map$5 same (program or matrix)) and ((kernel or hardware) adj2 (configuration or section$1))) and (((703/26-27).CCLS.) and ((code or program or executable) near3 develop$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:30
–		8	((PE or "processing element") and ((hardware or architecture) near2 (configuration or context or design$1))) and (((703/26-27).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:39
–		2	(hardware near2 accelerator$1) and (compiler and optimi$5) and ((703/26-27).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:06
–		11	((hardware near2 accelerator$1) and (compiler and optimi$5)) and ((US-6219833-$ or US-5802290-$ or US-6374403-$ or US-6075935-$ or US-5933642-$ or US-5768500-$ or US-5754759-$ or US-5535406-$ or US-6226776-$ or US-6457116-$ or US-6108760-$ or US-5956518-$ or US-5742180-$ or US-5684980-$ or US-5020059-$ or US-6496918-$ or US-6438737-$ or US-6367063-$ or US-6223274-$ or US-6112020-$ or US-6088795-$ or US-6058469-$ or US-5968161-$ or US-5852734-$ or US-5579494-$ or US-6389379-$).did. or (US-6134516-$ or US-6188975-$ or US-5841967-$ or US-5657241-$ or US-5091872-$ or US-6199152-$ or US-5752035-$ or US-5146460-$ or US-6009256-$ or US-5870588-$ or US-6421251-$ or US-5910180-$ or US-6179489-$ or US-5577233-$).did. or (US-20010034876-$ or US-20020059456-$ or US-20020049894-$ or US-20020078115-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:24
–		10	5936641.URPN.	USPAT	2003/04/03 14:27
–		6	("5249067" | "5394523" | "5428722" | "5455599" | "5502808" | "5734852").PN.	USPAT	2003/04/03 14:30
–		7	(map$5 near4 (hardware adj2 accelerator$1)) not Songer.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:44
–		5	(partition$5 near4 (hardware adj2 accelerator$1)) not Songer.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:45
–		5	((partition$5 near4 (hardware adj2 accelerator$1)) not Songer.in.) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:50
–		2	6339836.URPN.	USPAT	2003/04/03 14:49
–		2	(decompos$5 or map$5 or partition$5) near3 (kernel near (section$1 or design$1 or requirem$5 or config$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 15:28
–		11	6052524.URPN.	USPAT	2003/04/03 15:31
–		14	(SIMD and DSP and (hardware adj2 accelerator$1) and (compil$4 and optimi$5)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 08:19